

I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM ELECTRONICS, EAGLE K RADAR, serial number E20224, performed on December 03, 2019 by Office of Public Safety employee Frank Sgarlata, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection/maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance/calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

Digitally signed under ESRA by Joshua Vinehout on 12/11/2019 9:50 AM

Joshua Vinehout Supervisor of Public Safety Programs Office of Public Safety

Name of Submitting Agency: Sherrill City Police Department

Model: EAGLE K Manufacturer: KUSTOM ELECTRONICS Date: December 03, 2019 Serial Number: E20224

I hereby certify that KUSTOM ELECTRONICS RADAR, model EAGLE K, serial number E20224// EM19240 // N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

| Test No   | Internal Standard                   |                        | Test Result |
|---|-------------------------------------|------------------------|-------------|
| 1   | 32 MPH                              |                        | 32 MPH      |
| Test No   | Certification Standard (Stationary) |                        | Test Result |
| 1   | 65 MPH                              |                        | 65 MPH      |
| 2   | YÖRK                                | 35 MPH                 | 35 MPH      |
| Test No   | Certifica                           | tion Standard (Moving) | Test Result |
| 1   | 65 MPH                              |                        | 30 MPH      |
| Calcine man are an extended and an extended and are as a second and a | 35 MPH                              |                        |             |

Turning Fork Certification / Date of Certification: December 03, 2019

| Serial Number | Frequency | Test Result |
|---------------|-----------|-------------|
| 47334         | 4730 HZ   | 65 MPH      |

The above stated tuning fork has been tested and found to oscillate at 4730 Hertz. It will cause a calibration signal of 65 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

| Serial Number | Frequency | Test Result |
|---------------|-----------|-------------|
| 21226         | 2540 HZ   | 35 MPH      |

The above stated tuning fork has been tested and found to oscillate at 2540 Hertz. It will cause a calibration signal of 35 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.

page 1 of 2

Trank Sgarlata by Frank Sgarlata on 12/3/2019 12:19 PM

Frank Sgarlata

Highway Safety Equipment Technician

Office of Public Safety

Name of Submitting Agency: Sherrill City Police Department Manufacturer: KUSTOM ELECTRONICS

Model: EAGLE K Serial Number: E20224 Date:December 03, 2019

| 1. General appearance and condition of t   | his device: OK |
|--|----------------|
| 2. Turn system ON  | : OK           |
| 3. Check visual displays/indicators  | : OK           |
| 4. System cycles through all modes 4. System cycles through all modes 4. STATE  5. Record any repairs made to this instru VERIFIED CALIBRATION |                |

Thank Sgarlata Digitally signed under ESRA by Frank Sgarlata on 12/3/2019 12:19 PM

Frank Sgarlata Highway Safety Equipment Technician Office of Public Safety



I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of APPLIED CONCEPTS INC, STALKER PATROL RADAR, serial number EC005418, performed on December 03, 2019 by Office of Public Safety employee Frank Sgarlata, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection /maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance /calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

Digitally signed under ESRA by Joshua Vinehout on 12/11/2019 9:50 AM

Joshua Vinehout Supervisor of Public Safety Programs Office of Public Safety

Name of Submitting Agency: Sherrill City Police Department

Manufacturer: APPLIED CONCEPTS INC Model: STALKER PATROL

Date: December 03, 2019 Serial Number: EC005418

I hereby certify that APPLIED CONCEPTS INC RADAR, model STALKER PATROL, serial number EC005418//EB007919//EB008009, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

| Test No | Internal Standard                   | Test Result |
|---------|-------------------------------------|-------------|
| 1       | PAS MPH                             | PAS MPH     |
| Test No | Certification Standard (Stationary) | Test Result |
| 1       | 40 MPH                              | 40 MPH      |
| 2       | YORK 25 MPH                         | 25 MPH      |
| Test No | Certification Standard (Moving)     | Test Result |
| 4       | 40 MPH                              | 15 MPH      |
|         | 25 MPH                              |             |

Turning Fork Certification / Date of Certification: December 03, 2019

| Serial Number | Frequency | Test Result |
|---------------|-----------|-------------|
| FE014998      | 2899 HZ   | 40 MPH      |

The above stated tuning fork has been tested and found to oscillate at 2899 Hertz. It will cause a calibration signal of 40 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

| Serial Number | Frequency | Test Result |
|---------------|-----------|-------------|
| FD012255      | 1818 HZ   | 25 MPH      |

The above stated tuning fork has been tested and found to oscillate at 1818 Hertz. It will cause a calibration signal of 25 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.

page I of 2

Thank Sgarlata by Frank Sgarlata on 12/3/2019 12:17 PM

Frank Sgarlata

Highway Safety Equipment Technician

Office of Public Safety

Name of Submitting Agency: Sherrill City Police Department Manufacturer: APPLIED CONCEPTS INC

Model: STALKER PATROL Serial Number: EC005418 Date:December 03, 2019

| 1. General appearance and condition of the | his device: OK                       |
|--|--------------------------------------|
| 2. Turn system ON                          | : OK                                 |
| 3. Check visual displays/indicators        | : OK                                 |
| 4. System cycles through all modes         | Division of Criming Lustice Services |
| 5. Record any repairs made to this instru  | ment and list services provided:     |

VERIFIED CALIBRATION

Thank Sgarlata Digitally signed under ESRA by Frank Sgarlata on 12/3/2019 12:17 PM

Frank Sgarlata

Highway Safety Equipment Technician

Office of Public Safety



I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of KUSTOM ELECTRONICS, GOLDEN EAGLE RADAR, serial number E23755, performed on December 03, 2019 by Office of Public Safety employee Michael J. Canary, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection/maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance/calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

Digitally signed under ESRA by Joshua Vinehout on 12/11/2019 9:50 AM

Joshua Vinehout Supervisor of Public Safety Programs Office of Public Safety

Name of Submitting Agency: Sherrill City Police Department

Manufacturer: KUSTOM ELECTRONICS Model: GOLDEN EAGLE

Date: December 03, 2019 Serial Number: E23755

I hereby certify that KUSTOM ELECTRONICS RADAR, model GOLDEN EAGLE, serial number E23755// EM21398 / / N/A, has been calibrated using standards whose accuracies are established by the National Bureau of Standards, or have been derived by the ratio type of self calibration techniques. Calibration has been effected by controlled tests performed on the date indicated above.

| Test No | Internal Standard                   |                        | Test Result |
|---------|-------------------------------------|------------------------|-------------|
| 4       |                                     | 32 MPH                 | 32 MPH      |
| Test No | Certification Standard (Stationary) |                        | Test Result |
| 1       | 65 MPH                              |                        | 65 MPH      |
| 2       | YÖRK                                | 35 MPH                 | 35 MPH      |
| Test No | Certifica                           | tion Standard (Moving) | Test Result |
| 4       | 65 MPH                              |                        | 30 MPH      |
|         | 35 MPH                              |                        |             |

Turning Fork Certification / Date of Certification: December 03, 2019

| Serial Number | Frequency | Test Result |
|---------------|-----------|-------------|
| 25908         | 4730 HZ   | 65 MPH      |

The above stated tuning fork has been tested and found to oscillate at 4730 Hertz. It will cause a calibration signal of 65 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

| Serial Number | Frequency | Test Result |
|---------------|-----------|-------------|
| 27120         | 2540 HZ   | 35 MPH      |

The above stated tuning fork has been tested and found to oscillate at 2540 Hertz. It will cause a calibration signal of 35 MPH when used with a Doppler traffic radar operating at 24,150 Mhz.

I further certify that the entries made in these records were made at the time that the inspection /maintenance/calibration of the above identified RADAR was performed, or within a reasonable time thereafter.

page 1 of 2

Alfain Lathry Digitally signed under ESRA by Michael J. Canary on 12/3/2019 12:17 PM

Michael J. Canary Highway Safety Equipment Technician Office of Public Safety

Name of Submitting Agency: Sherrill City Police Department Manufacturer: KUSTOM ELECTRONICS

Model: GOLDEN EAGLE Serial Number: E23755 Date:December 03, 2019

| 1. General appearance and condition of this device: OK   |      |  |
|--|------|--|
| 2. Turn system ON  | : OK |  |
| 3. Check visual displays/indicators  | : OK |  |
| 4. System cycles through all modes A YORK STATE  5. Record any repairs made to this instruVERIFIED CALIBRATION |      |  |

Digitally signed under ESRA by Michael J. Canary on 12/3/2019 12:17 PM

Michael J. Canary Highway Safety Equipment Technician Office of Public Safety



I, Joshua Vinehout, Supervisor of Public Safety Programs, Office of Public Safety, New York State Division of Criminal Justice Services, 80 South Swan Street, Albany, New York 12210, having been duly designated and authorized by the Commissioner of the Division of Criminal Justice Services, do hereby certify and authenticate, as provided by subdivision c of Rule 4518 of the Civil Practice Law and Rules, that the document annexed hereto is an exact copy of an electronic record of the Office of Public Safety which is in my possession, custody and control. This record, once created, is stored in an electronic format that cannot thereafter be altered or modified.

I further certify that the original electronic record of inspection/maintenance/calibration of NAT'L PATENT ANALYTICAL SYS, DATAMASTER DMT breath test instrument, serial number 115108, performed on December 03, 2019 by Office of Public Safety employee Jonathan Mascolo, of which the annexed is an exact copy, was made in the regular course of business of the New York State Division of Criminal Justice Services, Office of Public Safety, that such record was made at the time such inspection/maintenance/calibration was performed or within a reasonable time thereafter, and further that it is the regular course of the Office of Public Safety's business to make such records at the time such inspection/maintenance/calibration is performed, or within a reasonable time thereafter, and to provide such instrument's records to the agency that requested them.

Digitally signed under ESRA by Joshua Vinehout on 12/11/2019 9:50 AM

Joshua Vinehout Supervisor of Public Safety Programs Office of Public Safety

# BREATH TEST INSTRUMENT RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Sherrill City Police Department

Manufacturer: NAT'L PATENT ANALYTICAL SYS Model: DATAMASTER DMT

Date: December 03, 2019 Serial Number: 115108

Reference Solution Lot Number: 19281

Reference Solution Standard: 0.10 % at 34.0 degrees centigrade

| Test No. | Test Result | Simulator Temperature    |
|----------|-------------|--------------------------|
| 1        | 0.102 %     | 34.01 degrees centigrade |
| 2        | 0.102 %     | 34.01 degrees centigrade |
| 3        | 0.102 %     | 34.01 degrees centigrade |
| 4        | 0.102 %     | 34.01 degrees centigrade |

Reference Solution Lot Number: 19101

Reference Solution Standard: 0.08 % at 34.0 degrees centigrade

| Test No | Test Result | Simulator Temperature    |
|---------|-------------|--------------------------|
| 1       | 0.080 %     | 34.01 degrees centigrade |
| 2       | 0.080 %     | 34.01 degrees centigrade |
| 3       | 0.081%      | 34.01 degrees centigrade |
| A       | 0.081 %     | 34,01 degrees centigrade |

Reference Solution Lot Number: 19210

Reference Solution Standard: 0.180 % at 34.0 degrees centigrade

| Test No | Test Result | Simulator Temperature    |
|---------|-------------|--------------------------|
| 1       | 0.182 %     | 34.01 degrees centigrade |
| 2       | 0.183 %     | 34.01 degrees centigrade |
| 3       | 0.183 %     | 34.01 degrees centigrade |
| 4       | 0.184 %     | 34.01 degrees centigrade |

I hereby certify that I have performed any necessary maintenance procedures and calibrated NAT'L PATENT ANALYTICAL SYS breath test instrument model DATAMASTER DMT, serial number 115108, and have determined that it is accurate and reliable for the determination of ethyl alcohol in the blood by analysis of the breath. The instrument's test results are recorded above and this instrument satisfies all limits and standards established by the New York State Commissioner of Health as enumerated in Part 59, Subchapter D of Chapter II, TITLE 10 (Health) of the Official Compilation of Codes, Rules and Regulations of the State of New York, (10 NYCRR Part 59) as amended.

I further certify that I made the entries in these records of inspection/maintenance/calibration at the time that such inspection/maintenance/calibration of the above identified breath test instrument was performed, or within a reasonable time thereafter.

Performed by:

Digitally signed under ESRA by Jonathan Mascolo on 12/3/2019 1:56 PM

Jonathan Mascolo

Highway Safety Equipment Technician Breath Analysis Operator Permit # 45339 Reviewed by:

Digitally signed under ESRA by Frank Sgarlata on 12/5/2019 11:16 AM

Frank Sgarlata

Breath Analysis Technical Supervisor

### BREATH TEST INSTRUMENT RECORD OF INSPECTION / MAINTENANCE / CALIBRATION

Name of Submitting Agency: Sherrill City Police Department Manufacturer: NAT'L PATENT ANALYTICAL SYS Model: DATAMASTER DMT Serial Number: 115108 Date: December 03, 2019 1. General Appearance and condition of this device ----: OK 2. Check controls and indicators -----3. Check breath flow system ----: OK 4. Check printer operation -STATE Justice Services 5. System cycles through all modes -6. Record any repairs made to this instrument and list services provided: INSPECTED INSTRUMENT, CHECKED SETUP VOLTAGES PRINT AND REMOTE OPERATION. PERFORMED CALIBRATION/ADJUSTMENT PROCEDURE, RAN SUBJECT, TECHNICIAN AND DIAGNOSTIC TESTS, VERIFIED CALIBRATION. Reviewed by: Performed by: Thank Sgarlata Digitally signed under ESRA by Frank Sgarlata on 12/5/2019 11:16 AM Digitally signed under ESRA by Jonathan Mascolo on 12/3/2019 1:56 PM Jonathan Mascolo Frank Sgarlata

Breath Analysis Technical Supervisor

Highway Safety Equipment Technician

Breath Analysis Operator Permit # 45339